



Page 1 of 22 Appl. No.: 09/444,819 Reply to Office action of January 14, 2005 Replacement Sheet





Page 2 of 22 Appl. No.: 09/444,819 Reply to Office action of January 14, 2005 Replacement Sheet

FIG. 2A





FIG. 2B





Page 3 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet

FIG. 3A





FIG. 3B





Page 4 of 22 Appl. No.: 09/444,819 Reply to Office action of January 14, 2005 Replacement Sheet

FIG. 4A





FIG. 4B





Page 5 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet

FIG. 5A






FIG. 5B





Page 6 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 6





Page 7 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 7





Page 8 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 8





Page 9 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 9





Page 10 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 10





Page 11 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 11





Page 12 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 12





Page 13 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Renlacement Sheet


FIG. 13





Page 14 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 14





Page 15 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Renlacement_Sheet


FIG. 15





Page 16 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 16





Page 17 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet


FIG. 17





Page 18 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet

FIG. 18





Page 19 of 22 Appl. No.: 09/444,819 Reply to Office action of January 14, 2005 Replacement Sheet

FIG. 19A







FIG. 19B





Page 20 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet

FIG. 20






Page 21 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet

FIG. 21

N-CLAMP VOLTAGE VS. Na CONCENTRATION STEPPED JUNCTION N-CONCENTRATION 1 x $10^{17}/\text{cm}^3$ Xj = $0.2\mu\text{m}$





Page 22 of 22
Appl. No.: 09/444,819
Reply to Office action of January 14, 2005
Replacement Sheet

